

## SUPPORTING DOCUMENTATION

1. [Please find attached photographs of each vessel – Starboard view, port view, and stern view]
2. [Please find attached Description of fishing gear used]

### 1. Photographs of SEJONG



Starboard View



Port View





Stern View


## 2. Description of fishing gear used

### Net configuration


Net measurements	Net 1	Net 2	Other net(s)
Net-mouth opening height (m)	25.00	25.00	
Net-mouth opening width (m)	30.00	27.60	
Total net length (m) including codend, measured along the centreline of the net	137.28	137.50	
Codend-mouth opening height (m)	2.88	2.88	
Codend-mouth opening width (m)	4.56	4.56	
Codend length (m)	28.00	28.00	
Codend mesh size (mm: stretched mesh)	120 (Inner 15)	120 (Inner 15)	

Net 1 diagram (s):


### SEJONG




# INNER NET



# Net 2 diagram(s): SEJONG




Nylon RASCH



KRILL COD-END

선명 : SEJONG

일자 : 년 월 일



ER : 15 INCHING ROST BIER 70mm - 28.00 R \* 15 R/D INB. NETS 6\* \* 120mm \* 28000 - 25.80 R (99.25%) \*  
 NETS 6\* \* 120mm \* 28000 - 25.80 R \* H.Y. RASCHEL 30PLY \* 15mm \* 2,23200 = 33.42 R (118.25%) \*  
 28.00 R (99.25%) \*