
Net configuration

Net measurements	Net 1	Net 2	Other net(s)
Net-mouth opening height (m)	30	30	
Net-mouth opening width (m)	72	72	
Total net length (m) including codend, Measured along the centerline of the net	167.6	167.6	
Codend-mouth opening height (m)	1.5	1.5	
Codend-mouth opening width (m)	3	3	
Codend length (m)	32	32	
Codend mesh size (mm;stretched mesh)	Inner 15 Outer 100	Inner 15 Outer 100	

Net diagram(s): <u>SAE IN LEDAER</u>




TOP / BOTTOM SIDES TOP / BOTTOM SIDES -Main netting -Inner netting

-Euroline br. net (Portugal)

-Nylon Raschel net

		KL.Im	11.1.101			NLIM	ILL.
124 9 4 120 4	106 120	9.6	9.3	550 24ply 352 30me	470 26ply 30mm	10.56	9.6
40 4 120 4 98 98	120 70 70	_	_	430	310	_	
40 4 - 120 4	- 120	9.6	Comm.	2/pty 528	200y	10.56	9.6
40 4 120 4 80 120	120 40 80	\rightarrow	Super Tec Bst. #40mm	20mn 530 530	20mm 260 260		
	4 80 4 80	8.0	81 Super To	21p(y 440 20nm	2 toly 20mm	8.8	8.0
120 120 4 50 80	60 60 4 80	-		530 580 18p(y	260 290 18ply	_	
4 50 80 120	4 80 60	8.0	7.0	488 18mm 590	18mm 290	8.78	8.0

KRILL NET CODEND & INNER NET



For each net used, or any change in net configuration, refer to the relevant net diagram in the CCAMLR fishing gear library if available (<u>www.ccamlr.org/node/74407</u>), or submit a detailed diagram and description to the forthcoming meeting of WG-EMM. Net diagrams must include:

- 1. Length and width of each trawl panel (in sufficient detail to allow calculation of the angle of each panel with respect to water flow.)
- 2. Mesh size (inside measurement of stretched mesh based on the procedure in Conservation Measure 22-01), shape (e.g. diamond shape) and material (e.g. polypropylene).
- 3. Mesh construction (e.g. knotted, fused).
- 4. Details of streamers used inside the trawl (design, location on panels, indicate 'nil' if streamers are not in use); streamers prevent krill fouling the mesh or escaping.

Marine mammal exclusion device

Device diagram(s): SAE IN LEADER

For each type of device used, or any change in device configuration, refer to the relevant diagram in the CCAMLR fishing gear library if available (<u>www.ccamlr.org/node/74407</u>), or submit a detailed diagram and description to the forthcoming meeting of WG-EMM.

1) Uses of marine mammal protect net: We use this device to prevent sea lions from capturing. Sea lions can escape through the square hole whose size is 1.5m and located on the top of the net, when they enter into the net by accident. This device is very effective, but sea lions were sometimes captured only in the South Georgia.

